

SHRIRAM PISTONS & RINGS LTD.

PLOT NO. SP-1-892 & 893, RIICO INDUSTRIAL AREA, PATHREDI, NEAR CHOPANKI/BHIWADI
DIST.ALWAR, RAJASTHAN - 301707 (INDIA)



SHRIRAM

Ref. No. : - SPRL/Legal/2024-25/09

June 26, 2024

To,

The Member Secretary,
Rajasthan State Pollution Control Board,
4, Paryavaran Marg, Institutional Area
Jhalana Doongri, Jaipur-302004.

Subject: -Submission of Annual Return In Form-IV For The Period January 2023 to December 2023 Under The Bio Medical Waste (Management & Handling) Rules- 2016

Dear Sir,

Enclosed herewith please find Annual return in form-IV for the period January 2023 to December 2023 under rule 13 of the Bio Medical Waste (Management & Handling) Rule 2016.

Thanking you,

Yours faithfully,

For Shriram Pistons & Rings Ltd.

Atul Khanapurkar

Atul Khanapurkar
Authorized Signatory

Atul Khanapurkar
Atul Khanapurkar

Encl:

Form-IV

Copy to: -

The Regional Office,
Rajasthan State Pollution Control Board,
GO-1, Phase II, R/A, Bhiwadi, Rajasthan,
301019.

<Dial 18002666668> <Wear Masks, Stay Safe>

<Dial 18002666668> <Wear Masks, Stay Safe>

RR286227177IN IVR:8282286227177
RL BHIWARI IND. AREA. ALWAR S.O. (301019)
Counter No:7,28/06/2024,10:23
To:THE REGI OFFI,RSPCB BHIWADI
PIN:301019, Bhiwari Ind. Area. Alwar S.O
From:SHRI RAM PI,PATHREDI
Wt:85gms,REG=17.0



Amt:49.56, Tax:7.56, Amt.Paid:50.00 (Cash)
<Track on www.indiapost.gov.in>

JD. OFFICE : 3rd FLOOR, HIMALAYA HOUSE, 2nd
site : www.shrirampistons.com PAN : AAAC5

RR286227185IN IVR:8282286227185
RL BHIWARI IND. AREA. ALWAR S.O. (301019)
Counter No:7,28/06/2024,10:23
To:THE MEMBER SEC ,RSPCB JAIPUR
PIN:302004, Jawahar Nagar H.O
From:SHRI RAM PI,PATHREDI
Wt:28gms,REG=17.0



Amt:31.86, Tax:4.86, Amt.Paid:32.00 (Cash)
<Track on www.indiapost.gov.in>

P'

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier:		
	(i) Name of the authorized person (occupier or : operator of facility)	:	KRISHNAKUMAR SRINIVASAN
	(ii) Name of HCF or CBMWTF	:	SHRIRAM PISTONS & RINGS LIMITED
	(iii) Address for Correspondence	:	SP-1-892&893, Riico Industrial Area, Pathredi, Near Chopanki /Bhiwadi ,Alwar (Rajasthan)301707.
	(iv) Address of Facility	:	SP-1-892&893, Riico Industrial Area, Pathredi, Near Chopanki /Bhiwadi ,Alwar (Rajasthan)301707.
	(v)Tel. No, Fax. No	:	Tel.No -01493-221355, Fax No-01493-221356
	(vi) E-mail ID	:	atul.khanapurkar@shrirampistons.com
	(vii) URL of Website	:	www.shrirampistons.com
	(viii) GPS coordinates of HCF or CBMWTF	:	NA
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) Public Limited Company
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.:BMW/2022-2023/Bhiwadi /BMW/16 Dated 18/10/2022 .
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto:31/01/2026
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: Zero
	(ii) Non-bedded hospital	:	Clinic (Occupational Health Centre)
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	NA
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	NA
	(ii) No. of Beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	NA
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	NA
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	<i>Yellow Category: 64.715 Kg Per Annum</i> <i>Red Category: 28.735 Kg Per Annum</i> <i>White: 6.870 Kg Per Annum</i> <i>Blue Category: 26.407 Kg Per Annum</i> <i>General Solid Waste:Nil</i>
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i)Details of the on-site storage	:	Size:NA

	facility		Capacity:NA			
			Provision of on-site storage : (Cold storage or any other provision)			
	(ii) Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
			Incinerators ,Plasma Pyrolysis Autoclaves, Microwave Hydroclave Shredder, Needle tipcutter or destroyer		NA	
			Sharps Encapsulation or Concrete pit Deep burial pits		NA	
			Chemical disinfection: Any other treatment equipment:		NA	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	NIL			
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	Four (RJ 02 GB 2093, RJ 02 GC 1239, RJ 02 GC 0380, RJ 02 GC 0257)			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed	
			Incineration	NA		
			Ash			
		ETP Sludge				
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Hoswin Incinerator, Alwar			
	(vii) List of member HCF not handed over bio-medical waste.		NA			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		NA			

7	Details trainings conducted on BMW		
	(i)Number of trainings conducted on BMW Management		02
	(ii)Number of personnel trained		53
	(iii)Number of personnel trained at the time of induction		0
	(iv)Number of personnel not undergone any training so far		NIL
	(v)Whether standard manual for training is available?		NO
8	Details of the accident occurred during the year		NIL
	(i)Number of Accidents occurred		NIL
	(ii)Number of persons affected		NIL
	(iii)Remedial Action taken (Please attach details if any)		NIL
	(iv)Any Fatality occurred, details		NIL
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from January 2023 to December 2023.

Atul Khanapurkar
Executive Director

Name and Signature of the Head of the Institution

Date: 26/06/2024

Place: Pathredi