

SHRIRAM PISTONS & RINGS LTD.

A4 TO A7, B7/1, B8/1-2, B9, B11/1, MEERUT ROAD, GHAZIABAD, U.P - 201003 (INDIA)



SHRIRAM

Chief Environmental Officer (Circle-1)
U.P. Pollution Control Board
T.C. 12V, Vibhuti Khand,
Gomti Nagar, Lucknow-226010

Dated: 01.06.2026

Sub.: Submission of Annual Report of Bio-medical Waste in Form-IV.

Dear Sir,

Please find enclosed herewith Annual Report of Bio-medical wastes in Form-IV for the period from 01.01.2025 to 31.12.2025 as per Rules 13 of Bio-medical Waste Management Rules, 2016.


This is for your information and record please.

Yours faithfully,

Sanjaya Kumar
Authorized Person

Encl.: As above

CC: Regional Officer, U.P. Pollution Control Board, INS-2, Sector-16, Vashundhra, Ghaziabad



Form - IV (See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or operator of facility)	:	Mr. Krishnakumar Srinivasan Occupier
	(ii) Name of HCF or CBMWTF	:	Health Care Facility center operated by Shriram Pistons & Rings Ltd. as per Factories Act, 1948
	(iii) Address for Correspondence	:	A-4 to A-7, B-7/1, B-8/1, B-8/2, B-9 & B-11/1, Industrial Area, Meerut Road, Ghaziabad-201003
	(iv) Address of Facility		-as above-
	(v) Tel. No, Fax. No	:	0120-27214861-67
	(vi) E-mail ID	:	
	(vii) URL of Website	:	www.shrirampistons.com
	(viii) GPS coordinates of HCF or CBMWTF	:	Latitude: 28.66249 Longitude: 77.43777 Copy of Map GPS coordinates is enclosed as Annexure-1
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 22951050 dated 10.10.2023 which is valid up to 31.12.2028.
	(xi). Status of Consents under Water Act and Air Act	:	Consent to Operate (Air & Water) is valid up to 31.12.2029.
2:	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 2 (Two)
	(ii) Non-bedded hospital	:	N.A.
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry	:	N.A.
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	N.A.
	(ii) No of beds covered by CBMWTF	:	N.A.
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	N.A. Kg per day



	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	N.A. Kg/day																																																			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 2.62 Kgs/annum Red Category : 2.82 Kgs/annum White: 0.61 Kgs/annum Blue Category : 0.94 Kgs/annum General Solid waste: Nil																																																			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		Not Applicable																																																			
	(i) Details of the on-site storage facility	:	Size : N.A. Capacity : N.A. Provision of on-site storage : (cold storage or any other provision) N.A.																																																			
	(ii) Details of the treatment or disposal facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Pyrolysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td>-</td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td>-</td></tr> <tr><td>Deep burial pits:</td><td></td><td></td><td></td></tr> <tr><td>Chemical disinfection:</td><td></td><td></td><td>-</td></tr> <tr><td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </tbody> </table>				Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer			-	Sharps encapsulation or concrete pit			-	Deep burial pits:				Chemical disinfection:			-	Any other treatment equipment:			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																																			
Incinerators																																																						
Plasma Pyrolysis																																																						
Autoclaves																																																						
Microwave																																																						
Hydroclave																																																						
Shredder																																																						
Needle tip cutter or destroyer			-																																																			
Sharps encapsulation or concrete pit			-																																																			
Deep burial pits:																																																						
Chemical disinfection:			-																																																			
Any other treatment equipment:																																																						
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) N.A.																																																			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	N.A.																																																			
	(v) Details of incineration ash and ETP sludge generated and disposed	:	<table border="1"> <thead> <tr> <th>Quantity generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr><td></td><td></td></tr> </tbody> </table>				Quantity generated	Where disposed																																														
Quantity generated	Where disposed																																																					


8x.

	during the treatment of wastes in Kg per annum		Incineration Ash ETP Sludge	N.A.
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Medicare Environmental Management Pvt. Ltd., C-21, Phase-1, Masuri Gulawathi Road, UPSIDC Industrial Area, Ghaziabad (U.P.)-201015	
	(vii) List of member HCF not handed over bio-medical waste.	:	--	
6	Do you have bio-medical waste Management Committee? If yes, attach minutes of the meetings held during the reporting period	:	No	
7	Details trainings conducted on BMW			
	(i) Number of trainings conducted on BMW Management.	:	One	
	(ii) number of personnel trained	:	--	
	(iii) number of personnel trained at The time of induction	:	12 nos. personnel trained on 10.11.2025 (list of concerned participants is enclosed as Annexure-2)	
	(iv) number of personnel not undergone any training so far	:	Nil	
	(v) whether standard manual for training is available?	:	Yes (We have displayed Standard Manual for training in our HCF)	
	(vi) any other information)	:	--	
8	Details of the accident occurred during the year			
	(i) Number of Accidents occurred	:	Nil	
	(ii) Number of the persons affected	:	Nil	
	(iii) Remedial Action taken (Please attach details if any)	:	Nil	
	(iv) Any Fatality occurred, details.	:	Nil	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		The Unit have valid CTO granted by UPPCB. The emissions from the Unit are maintained within prescribed norms and standards for Air Pollution as stipulated by the Board. Periodic ambient air/emission monitoring is being carried out through authorized agencies, and monitoring reports are regularly submitted to UPPCB in compliance of CTO conditions.	
	Details of Continuous online emission monitoring systems installed	:	OCEMS installed in Common Stack at Aluminum Foundry and Final ETP.	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	N.A.	

SK.

11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	N.A.
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) N.A.

Certified that the above report is for the period from 01.01.2025 to 31.12.2025.



Sanjaya Kumar

Authorized Person

Name and Signature of the Head of the Institution

Date: 01.06.2026

Place: Ghaziabad

Name your GPS Coordinates!

You can name any place you bookmarked and make them available through our API (/api).

Create a free account (/register/) to bookmark your favorite places. Once logged in, just click on the star inside the infowindow on the map to add the point to your bookmark list (you can find it under the map on any page).

This is especially useful if you look for specific places on a device like your desktop, in order to use them later on with your mobile or your tablet. Just login and your points of interest will be available on all your devices (and on all the pages).

Customize your Google Maps

You can create links to custom maps to share with your friends or customers. Try it now (/custom-map).

You can also visit our French, Spanish, German, Dutch partner sites: www.coordonnees-gps.fr (<http://www.coordonnees-gps.fr>) | www.coordenadas-gps.com (<http://www.coordenadas-gps.com>) | www.gpskoordinaten.de (<http://www.gpskoordinaten.de>) | www.gps-coordinaten.nl (<http://www.gps-coordinaten.nl>)

Copyright © 2023 www.gps-coordinates.net | [Radius \(/radius\)](#) | [Custom Map \(/custom-map\)](#) | [Geolocation \(/geolocation\)](#) | [Contact \(/contact\)](#) | [Privacy \(/privacy\)](#) | [Terms \(/terms\)](#)

MEDICARE

A Re Sustainability Company

CERTIFICATE OF BWM SEGRIGATION TRAINING

This is to certify that M/s.Medicare Environment Management Pvt. Ltd.
Represented by Mr.Sanjay Kumar Singhal has provided training date
10th November,2025 on the Segregation & Effective Management of
Bio-Medical Waste as per new rule of Bio-Medical Waste
Management 2016 to M/s.Shriram Pistons & Rings Ltd., Meerut Road,
Industrial Area, Ghaziabad U.P.. The list of Participant is enclosed.

We wish them all the success for their future endeavor.

For Medicare Environmental Management Pvt.Ltd.



(Authorized Signatory)

Medicare Environmental Management Private Limited
(A Subsidiary of Medicare India Pvt. Ltd.)

CIN No: U34117TG1997P1026555

Registered Office:

Level III, Aurobindo Galaxy,
Hyderabad Knowledge City, Hitech City Road,
Hyderabad - 500081,
Telangana

Site Address:

C-21, Phase-I,
Masul Gufawati Road,
UPSIDC Industrial Area,
Ghaziabad,
Uttar Pradesh - 201015

T: +91 99716 93775

E: sanjayprakash.garg@resustainability.com

TRAINING ATTENDANCE SHEET

Date : 10.11.2025

Topic : Handling of Bio-Medical waste

Trainer : Mr.Sanjay Kumar Singhal

S.NO.	NAME OF EMPLOYEE
1.	Dr.Suraj
2.	Dr.Lokesh
3.	Dr.Neeraj
4.	Ms. Rekha
5.	Mr.Sonu
6.	Mr.Zaid Khan
7.	Mr.Sanjeev Chaudhary
8.	Mr.Sudhir
9.	Mr.Sunder
10.	Mr.Sandeep
11.	Ms.Geeta
12.	Ms.Kamlesh

Medicare Environmental Management Private Limited
(A Subsidiary of Re Sustainability Limited)

CIN No. U24101TG199791CQ26555

Registered Office:

Level 18, Auto Grids Galaxy,
Hyderabad Knowledge City, Hitech City Road,
Hyderabad - 500061,
Telangana

Site Address:

C-21, Phase-I,
Mawal Gidawadi Road,
UPSIDC Industrial Area,
Ghazipur,
Uttar Pradesh - 201015



T: +91 99716 93775

E: sanjayprakashgag@resustainability.com